2020 ACNM BENCHMARKING BEST PRACTICES

How do you become a "best practice"?

Best practices are named based on the data reported by the practice being one of the top three practices in that category. The purpose of naming "best practice" is to recognize practices that are performing well. Perhaps more importantly, it gives ACNM members the opportunity to know which practices to contact to discuss how to improve performance. By networking with "best practices", you can learn how to modify your practice processes to achieve better outcomes on quality indicators.

To provide a fair comparison, practices are compared based on practice volume by number of births per year: Low: \leq 50, Low Moderate: 50 -199, High Moderate: 200-499, High: \geq 500 births/ year.

Note: For some volume groups, it is impossible to determine best practice for certain indicators. In the low-volume group there are many practices achieving 100% breastfeeding rates and 0% cesarean birth rates.

How do I know which indicator to select for improvement?

When looking at the benchmarking report, the outcomes should fall within the appropriate range of colleagues in similar volume practices. For example, if your practice is above the 75th percentile of your comparison group in episiotomy, there is a practice variance that suggests need for improvement. This indicates overuse of the procedure when compared to midwifery practices attending a similar number of births/year. Similarly, if your practice is within the lowest 25% of your cohort in spontaneous vaginal birth or breastfeeding, the data suggests an opportunity to improve performance. The ACNM Division of Standards and Practice, Quality Section functions to support quality improvement activities of ACNM member practices.

Please note- there are mixed risk status and mixed models within EVERY "best practice" category (e.g. high volume birth centers and low volume, high risk practices). Please avoid the initial temptation to assume "my practice" is different or unique. By contacting best practices, you may find that there is a similar practice achieving better outcomes.

Congratulations to the 2020 ACNM Best Practices!

Labor and Birth Outcomes					
Variable	Low Volume ≤ 50 births/year (n=10)	Low Moderate Volume 50 -199 births/year (n=52)	High Moderate Volume 200-499 births/year (n=83)	High Volume ≥ 500 births/year (n=76)	
Spontaneous Vaginal Birth Rate	 Scenic Drive Midwives Transitions Womens Wellness Center Charlottesville Midwifery 	 The Birth Center of Bloomington Normal Bella Donna Birth & Women's Health A Better Birth Midwifery 	 Willow Midwife Center for Birth and Wellness AZ, LLC Mt. Eaton Midwifery Saint Anthony Midwifery Service 	 Midwives of Carmel OB/GYN Providence Medical Group Women's Services Everett Presbyterian Main 	
Primary Cesarean Rate	No Best Practice	 Allen Midwifery & Family Wellness Fika Midwifery The Birth Center of Bloomington Normal 	 Mt. Eaton Midwifery Willow Midwife Center for Birth and Wellness AZ Saint Anthony Midwifery service 	 Parkland Health and Hospital System Gundersen Health System Midwives of Carmel OB/GYN 	
VBAC Success Rate	 Laber of Love Charlottesville Midwifery Scenic Drive Midwives 	No Best Practice	No Best Practice	 Presbyterian Main Midwives of Carmel OB/GYN Providence Medical Group Women's Services Everett 	
Rate of Cesarean Birth among Nulliparous women with a Term, Singleton baby in a Vertex position (NTSV)	No Best Practice	 Fika Midwifery Bella Donna Birth & Women's Health Nativiti Family Birth Center 	 Southwest Midwives, Inc. Beach Cities Midwifery & Women's Health Care Health Foundations Birth Center 	 CommuniCare Health Centers, Inc University Nurse-Midwives MHealth Fairview East Certified Nurse-Midwives 	
Rate of Postpartum Hemorrhage	 Scenic Drive Midwives RI Home Birth & Hope Family Health Full Spectrum Midwifery 	 CNM Care Midwifery Care NYC Ascension Medical Group Midwifery 	 Connecticut Childbirth & Women's Center Guiding Hands Midwifery at Heartland Family First Medical Cliinic Intermountain Healthcare Layton Parkway Nurse-Midwives 	 Aurora UW Medical Group Midwifery & Wellness Center Women's Excellence in Midwifery Mayo Clinic Midwifery Service 	

No Best Practice: Unable to establish a "Best Practice" as all practices in the birth volume sub-category reported "0" or 100% per the variable.

Perineal Outcomes				
Variable	Low Volume ≤ 50 births/year (n=10)	Low Moderate Volume 50 -199 births/year (n=52)	High Moderate Volume 200-499 births/year (n=83)	High Volume ≥ 500 births/year (n=76)
Rate of women with intact perineum (perineum is intact or only small laceration(s) not requiring repair)	 Scenic Drive Midwives RI Home Birth and Hope Family Health WomanKind Midwifery 	 Sage-Femme Midwifery Midwife Sunday The Birth Center, A Nursing Corporation 	 New Birth Company, Overland Park Advanced Ob-Gyn UTROP Nurse-Midwifery Group 	 Midwives at Mount Auburn Hospita TrueCare Stony Brook Midwifery Practice
Rate of episiotomies	No Best Practice	No Best Practice	No Best Practice	 Baystate Midwifery and Women's Health University Nurse-Midwives Erie Family Health
3rd or 4th degree laceration rate	No Best Practice	No Best Practice	No Best Practice	 BirthCare HealthCare University of Utah College of Nursing Penn Highland's Life's Journey OBGYN Presbyterian Main

Infant Outcomes					
Variable	Low Volume ≤ 50 births/yea r (n=10)	Low Moderate Volume 50 -199 births/year (n=52)	High Moderate Volume 200-499 births/year (n=83)	High Volume ≥ 500 births/year (n=76)	
Preterm Birth Rate (infants from a singleton birth born at less than 37weeks gestation)	No Best Practice	No Best Practice	Minnesota Birth CenterWillow MidwivesBeginnings Birth Center	 Park Nicollet Clinic Summa Health Medical Group Midwifery Service Eisner Pediatric & Family Medical Center 	
Rate of Low Birth Weight (infants from a singleton birth born weighing less than 2500 grams)No Best PracticeNo No No Practice		No Best Practice	 Health Foundations Birth Center The Childbirth Center Minnesota Birth Center 	 Mayo Clinic Midwifery Service Parkland Health and Hospital System Kaiser Permanente, Clackamas OR 	
Rate of NICU Admissions of infants born from a singleton birth. (any admission to a level 2 or level 3 nursery for any length of time)	No Best Practice	 The Birth Center, A Nursing Corporation The Birth Center of Bloomington Normal Women's Healthcare of Illinois 	 Swedish Midwifery and Women's Health First Hill Mt Eaton Midwifery Harrisonburg OB/GYN 	 Parkland Health and Hospital System UMHS Nurse Midwifery Service Acclaim Physician's Group 	
Exclusive Breastfeeding Rate first 48 hoursNo Best PracticeNYC •A Be Midw •River		 Midwifery Care NYC A Better Birth Midwifery River and Mountain Midwives 	 Midwives at VCU Health Midwives of New Jersey West Suburban Midwife Associates 	 UC San Diego Nurse-Midwifery Service Lifecycle Womancare Penn OB/GYN and Midwifery 	

No Best Practice: Unable to establish a "Best Practice" as all practices in the birth volume sub-category reported "0" or 100% per the variable.

Breastfeeding Outcomes				
Variable	Low Volume ≤ 50 births/year (n=10)	Low Moderate Volume 50 -199 births/year (n=52)	High Moderate Volume 200-499 births/year (n=83)	High Volume ≥ 500 births/year (n=76)
Rate of Women who Attended their 6week Postpartum Visit.	 Charlottesville Midwifery Full Spectrum Midwifery WomanKind Midwifery 	No Best Practice	 Advanced Ob-Gyn Guiding Hands Midwifery at Heartland Family First Medical Clinic West Suburban Midwife Associates 	 North Central Bronx Hospital Lifespan Physician Groupt OBGyn BirthCare HealthCare University of Utah College of Nursing
Rate of Women Breastfeeding at their 6week Postpartum Visit.	No Best Practice	 A Better Birth Midwifery Bloomin' Babies Birth Center Nativiti Family Birth Center 	 West Suburban Midwife Associates Willow Midwife Center for Birth and Wellness AZ Swedish Midwifery and Women's Health Issaquah 	 Shenandoah Women's HealthCare UC San Diego Nurse- Midwifery Service UW Health Nurse- Midwifery Service

No Best Practice: Unable to establish a "Best Practice" as all practices in the birth volume sub-category reported "0" or 100% per the variable.

Resource Utilization Outcomes				
Variable	Low Volume ≤ 50 births/year (n=10)	Low Moderate Volume 50 -199 births/year (n=52)	High Moderate Volume 200-499 births/year (n=83)	High Volume ≥ 500 births/year (n=76)
Rate of Inductions	 WomanKind Midwifery Scenic Drive Midwives Charlottesville Midwifery 	 Midwife Sunday Sage-Femme Midwifery Wichita Falls Birth and Wellness Center 	 Willow Midwife Center for Birth and Wellness AZ, LLC Beginnings Birth Center Saint Anthony Midwifery Service 	 WCC Midwifery Services at the GW MFA Family Birthplace
Rate of epidurals used for pain relief during labor (not including epidurals placed only for anesthesia for operative delivery)	No Best Practice	 Midwife Sunday Bella Donna Birth & Women's Health River and Mountain Midwives 	 Willow Midwife Center for Birth and Wellness AZ New Birth Company, Overland Park Beginnings Birth Center 	 Midwifery Center at TMC, El Rio Health Sutter Davis Women's Health CommuniCare Health Centers, Inc.

No Best Practice: Unable to establish a "Best Practice" as all practices in the birth volume sub-category reported "0" or 100% per the variable.